



JAZZ SPEAKERS

**POWERED
SPEAKERS
with an
ATTITUDE**





\$89⁰⁰
SAVE \$60⁹⁵

J-590



J-340

\$59⁰⁰
SAVE \$40⁹⁵
Monitor not included

J-902 Subwoofer
ONLY **\$89⁰⁰** SAVE \$60⁹⁵
J-902S Subwoofer System
ONLY **\$139⁰⁰** SAVE \$60⁹⁵



J-902 Subwoofer System

Turn up the heat and take your multimedia sound experience to the next level by adding deep, powerful bass response to your computer system. Choose from the J-902S Subwoofer System which includes two satellite speakers or the stand-alone J-902 Subwoofer that connects to most external computer speakers. Both subwoofer and satellite speakers feature controls for volume and power.

Specifications:
J-902S Subwoofer System
28 watts (41 watts max.) RMS, 35Hz to 15,000Hz frequency response

SUBWOOFER:
18 watts (25 watts max.) RMS, 35Hz to 300Hz frequency response

SATELLITES:
5 watts (8 watts max.) RMS per channel, 100Hz to 15,000Hz frequency response



J-902 Subwoofer
J-902S Subwoofer System



J-688

\$119⁰⁰
SAVE \$80⁹⁵



J-590 Powered Speaker

Connect the J-590 to your computer, crank up the volume, and hear software the way it was meant to be heard. Designed to sound as good as they look. Features include: Controls for bass, treble, volume, and power, and a headphone jack for private listening.

Specifications: 14 watts (30 watts max.) RMS per channel, 50Hz to 20,000Hz frequency response, 4" woofer, 1.5" tweeter

J-340 Powered Speaker

Great sound at an economical price! The versatile J-340's are compact speakers that can be easily mounted on your monitor or placed on the desktop. Features include: Controls for volume, bass, and power. Includes monitor mounting kit. Monitor not included.

Specifications: 5 watts (8 watts max.) RMS per channel, 100Hz to 15,000Hz frequency response, 3" cone driver

J-688 Powered Speaker

The unique cabinet design of the J-688 produces rich, deep, high quality sound normally found in speakers twice the price. Features include: Large, easy-to-use control knobs, a headphone jack for private listening, and a microphone input jack for presentations or a second audio input.

Specifications: 14 watts (30 watts max.) RMS per channel, 50Hz to 20,000Hz frequency response, 4" woofer, 2" tweeter

ORDERING INFORMATION

Name _____

Address _____

City _____ State _____

Zip _____ Phone _____

Speaker	Qty.	Price	Total
J-340		\$59.00 <small>List \$99.95 SAVE \$40.95</small>	
J-590		\$89.00 <small>List \$159.95 SAVE \$60.95</small>	
J-688		\$119.00 <small>List \$199.95 SAVE \$80.95</small>	
J-902		\$89.00 <small>List \$159.95 SAVE \$60.95</small>	
J-902S		\$139.00 <small>List \$199.95 SAVE \$60.95</small>	

Payment Method

- VISA Sub-Total _____
- MASTER CARD CA residents add 7.75% sales tax _____
- AMERICAN EXPRESS Shipping (call for prices) _____
- DISCOVER
- Check/Money Order

TOTAL _____

Credit Card Number: _____ Expiration: _____

Signature: _____ Month Year _____



JAZZ SPEAKER OFFER

P.O. Box 3581

Industry, CA 91744



24 Hours 800-895-9960
FAX: 714-752-5417

Jazz Speakers. Excellence in Sound

"Slick, black, and straight to the point. The J-902 subwoofer/satellite system is a great investment for the audiophile in all of us."

-COMPUTER GAME REVIEW - September '95

"Not only is the J-688 a powerhouse, but the low end is very impressive, and the high end can get screechingly loud."

-COMPUTER GAMING WORLD - September '95

"Bigger and badder than your average speaker. The J-590 will make your neighbors whimper."

-COMPUTER GAME REVIEW - August '94

Not Just For Computers

Our speakers are not only designed for computers but can be used with personal CD players, cassette players, portable stereo systems, televisions, VCR's, or any device with a audio line-out or headphone jack.

Jazz Quality

All Jazz speakers are magnetically shielded to protect data on hard drives and floppy disks and to prevent damage to your monitor or television. Jazz speakers are covered by a full two year warranty.

J-340	J-590	J-688	J-902S
Magnetically Shielded	Magnetically Shielded	Magnetically Shielded	Magnetically Shielded
60-20,000Hz Frequency Response	50-20,000Hz Frequency Response	50-20,000Hz Frequency Response	35-15,000Hz Frequency Response
5W RMS per Channel 8W RMS Maximum	14W RMS per Channel 30W RMS Maximum	14W RMS per Channel 30W RMS Maximum	Max. System Power 41Watts RMS
3" Cone Driver	4" Woofer/1.5" Tweeter	4" Woofer/2" Tweeter	Subwoofer - 4" Woofer Satellites - 3" Driver
Volume, Power Controls	Volume, Bass, Treble, Power Controls	Volume, Bass, Treble, Power Controls	Volume and Power Controls
Includes Mounting Hardware	Headphone Jack	Headphone Jack Microphone Jack	Speaker Input Jack
Dimensions (WxHxD) 3.75" x 6.5" x 4.75"	Dimensions (WxHxD) 4.5" x 9" x 5"	Dimensions (WxHxD) 6" x 9.25" x 5.75"	Dimensions (WxHxD) Subwoofer 6.25" x 9.5" x 7.75" Satellites 3.8" x 6.7" x 4.65"